

Product Description:

JAC–D 290 is a specially modified Vinyl Acetate / Veova Copolymer Emulsion to produce high quality exterior and interior architectural paints with excellent properties

Typical Properties:

Film Properties	: Clear and Glossy
Appearance	: White Milky Emulsion
Solid Content %	: 54 ± 1
Viscosity (cps) Sheen VM1/VM2 @25 (° C)	: 25,000-40,000
MFFT (° C)	: ~ 12
pH	: 4.5-5.0
Particle Size (µm)	: 0.3 - 0.5
Specific Gravity (g/cm ³)	: 1.06 ± 0.01

Application:

JAC– D 290 is used to produce high quality exterior/ interior architectural paints and special effect decorative paints.

Specific Properties:

- JAC– D 290 has an excellent both scrub & water resistance.
- Has a flexible glossy film with water and wet-abrasion resistance.
- Has excellent adhesion to substrates.
- Has high resistance to UV light.

Storage Conditions:

- Store in closed drums at temperature (5- 35 °C).
- Keep containers sealed to prevent water evaporation and skin forming.

Storage Stability:

- Stable for 12 months at the appropriate storage conditions.
- Avoid frost and direct heat.

Please note: -

All statements are based on exact investigations in our laboratories and are gained from practical experience. Thus this can only be an informal advice. We recommend finding out through your own tests whether the product meets the appropriate requirements. Due to the variety of materials on the market and the different processing methods, which are not influenced by us, we cannot guarantee for consequential damages.